



















# ARIANESPACE TO LAUNCH TWO TELECOM SATELLITES FOR BRAZIL AND SOUTH KOREA

For its fourth launch of the year, and the second Ariane 5 mission in 2017 from the Guiana Space Center in French Guiana, Arianespace will orbit two satellites: SGDC for VISIONA Tecnologia Espacial S.A. on behalf of the Brazilian operator Telebras S.A., and KOREASAT-7 for ktsat of South Korea.

SGDC and KOREASAT-7 are the 555th and 556th satellites to be launched by Arianespace.

This will be the 287th mission by the Arianespace family of launchers, and the seventh all-Thales Alenia Space mission, as both satellites were built by this manufacturer.

### **SGDC**

SGDC (Geostationary Satellite for Communications and Defense) is the first satellite for the operator Telebras S.A. to be launched by Arianespace, performed within the scope of a contract with SGDC prime contractor VISIONA Tecnologia Espacial S.A.

This Brazilian government program has three main objectives:

- Reduce Brazil's digital divide by providing high-quality Internet services to 100% of the country's territory
  as part of the National Broadband Plan
- $\bullet \ \ Provide \ sovereign \ and \ secure \ means \ for \ the \ Brazilian \ Government \ and \ Defense \ strategic \ communications,$
- Acquire critical technologies for the Brazilian space industry, enabling the industry to take increasingly important roles in future Brazilian space programs.

Positioned at 75° West, with its 57 transponders in Ka-band and X-band, the SGDC is a multi-spot beam HTS satellite able to deliver more than 57 Gbps over the Brazilian territory.

SGDC will be operated and controlled by Telebras S.A., a Brazilian telecommunication company controlled by the Ministry of Science, Technology, Innovation and Communication; and the Defense Ministry.

As SGDC prime contractor, VISIONA Tecnologia Espacial S.A. is responsible for program management, overall system integration and end-to-end communication.

SGDC was manufactured by Thales Alenia Space in Cannes, France using the reliable Spacebus 4000C4 platform.

### KOREASAT-7

KOREASAT-7 is the third KOREASAT satellite to be launched by Arianespace for ktsat, following KOREASAT-3 and KOREASAT-6, launched in September 1999 and December 2010, respectively.

ktsat, a wholly-owned subsidiary of KT Corp. - the largest telecom/media service provider in South Korea - is the country's sole satellite service provider. Since the establishment of the Kumsan Satellite Center (Teleport) in 1970, ktsat has been the national leader in telecommunications and broadcasting services. It currently operates three satellites.

KOREASAT-7 will provide a full range of video and data applications, including Internet access, direct-to-home broadcasting (DTH), government communications and connectivity for VSAT (Very Small Aperture Terminal) networks.

Positioned at 116° East, KOREASAT-7 is designed to provide higher throughput and extended coverage over Korea, the Philippines, the Indochinese Peninsula, India and Indonesia. Its added Ka-band capacity, with steerable beams, will enable it to meet increased demand.

KOREASAT-7 was built by Thales Alenia Space in Toulouse and Cannes, France, using a Spacebus 4000B2 platform.

### **CONTENTS**



#### > THE LAUNCH

VA236 mission Page 2-3

SGDC satellite Page 4

KOREASAT-7 satellite Page 5

### > FURTHER INFORMATION

Ariane 5 ECA launch vehicle Page 6

VA236 launch campaign Page 7


Countdown and flight sequence Page 8

VA236 mission profile Page 9

Arianespace and the Guiana Space Center Page 10

CONTACT PRESSE

Claudia Euzet-Hoyau c.hoyau@arianespace.com +33 (0)1.60.87.55.11













### MISSION DESCRIPTION

Arianespace's second Ariane 5 ECA launch of the year will place both of its satellite passengers into geostationary transfer orbit.

The launcher will be carrying a total payload of approximately 10,289 kg.

The launch will be from Ariane Launch Complex No. 3 (ELA 3) in Kourou, French Guiana.

#### **DATE AND TIME**



Liftoff is planned on Thursday, May 4, 2017

as early as possible within the following launch window:

- > Between 4:31 p.m. and 7:19 p.m., Washington D.C. time
- > Between 5:31 p.m. and 8:19 p.m., Kourou time in French Guiana
- > Between 5:31 p.m. and 8:19 p.m., Brasilia time
- > Between 20:31 and 23:19, Universal Time (UTC)
- > Between 10:31 p.m. and 01:19 p.m., Paris time during the night of May 4 to 5
- > Between 5:31 a.m. and 8:19 a.m., Seoul Time, South Korea, on May 5

#### MISSION DURATION



The nominal duration of the mission (from liftoff to separation of the satellites) is: 36 minutes, 46 seconds.

### **TARGETED ORBIT**



Perigee altitude 250 km.



Apogee altitude 35,926 km.



Inclination 4 degrees

### THE LAUNCH AT A GLANCE

The launcher's attitude and trajectory are controlled by the two onboard computers, located in the Ariane 5 vehicle equipment bay (VEB).

About seven seconds after start of the ignition of the main stage cryogenic engine at T-0, the two solid-propellant boosters are ignited, enabling liftoff. The launcher first climbs vertically for 13 seconds, then rotates towards the East. It maintains an attitude that ensures the axis of the launcher remains parallel to its velocity vector, in order to minimize aerodynamic loads throughout the entire atmospheric phase until the solid boosters are jettisoned.

The fairing protecting the payload is jettisoned at T+202 seconds.

Once this first part of the flight is completed, the onboard computers optimize the trajectory in real time, minimizing propellant consumption to bring the launcher first to the intermediate orbit targeted at the end of the main stage propulsion phase, and then the final orbit at the end of the flight of the cryogenic upper stage.


The main stage splashes down off the coast of Africa in the Atlantic Ocean (in the Gulf of Guinea). At orbital injection, the launcher will have attained a velocity of approximately 9,365 meters/second, and will be at an altitude of 640 kilometers.

### PAYLOAD CONFIGURATION

> Upper payload (CUH): SGDC Mass at liftoff: 5,735 kg.

> Lower payload (CUB): KOREASAT-7 Mass at liftoff: approximately 3,680 kg.

- > Long version of the payload fairing
- > SYLDA (SYstème de Lancement Double Ariane)







# **SGDC SATELLITE**



CUSTOMER	VISIONA Tecnologia Espacial S.A., within the scope of the contract with Brazilian operator Telebras S.A.	
PRIME CONTRACTOR	VISIONA Tecnologia Espacial, satellite and ground segment manufactured by Thales Alenia Space	
MISSION	Telecommunications: Internet broadband access, defense and strategic communications	
MASS	Approximately 5,735 kg. at liftoff	
STABILIZATION	3 axis	
DIMENSIONS	7.10 m x 2.20 m x 2.0 m (stowed configuration - for launch)	
PLATFORM	Spacebus 4000C4	
PAYLOAD	57 transponders in Ka band and X-band	
ONBOARD POWER	12 kW (end of life)	
DESIGN LIFE	More than 18 years	
ORBITAL POSITION	75° West	
COVERAGE AREA	Brazil	

PRESS CONTACTS

VISIONA Tecnologia Espacial S.A.

Valtécio Alencar Corporate Communications 0: + 55 11 3040-6891

 $\pmb{\text{E-mail}: \underline{\text{imprensa@visionaespacial.com.br}}}$ 

www.visionaespacial.com.br

Thales Alenia Space Chrystelle Dugimont Media Relations

E-mail: <u>chrystelle.dugimont@thalesaleniaspace.com</u> Tel: +33 4 92 92 74 06

thalesgroup.com





# **KOREASAT-7 SATELLITE**



CUSTOMER	ktsat
PRIME CONTRACTOR	Thales Alenia Space
MISSION	Communications and broadcasting services
MASS	3,680 kg. at liftoff
STABILIZATION	3 axis
DIMENSIONS	2.3 m x 1.75 m x 3.39 m
PLATFORM	Spacebus 4000B2
PAYLOAD	30 Ku-band transponders and Ka-band transponders
ONBOARD POWER	Greater than 8 kW (end of life)
DESIGN LIFE	More than 15 years
ORBITAL POSITION	116° East
COVERAGE AREA	Korea, the Philippines, Indochina, India, Indonesia

**CONTACTS PRESSE** 

KTSAT Hyowon CHAE
Press Manager
Tel: +82 (0)2 360 3976
Email: hw.chae@kt.com Thales Alenia Space Chrystelle Dugimont

Media Relations
E-mail: chrystelle.dugimont@thalesaleniaspace.com
Tel: +33 4 92 92 74 06

thalesgroup.com








### **ARIANE 5 ECA LAUNCH VEHICLE**

The launcher is delivered to Arianespace by Airbus Safran Launchers as production prime contractor.



13,000 kN at Liftoff (at T+7.3 sec.)





# **LAUNCH CAMPAIGN - ARIANE 5: SGDC / KOREASAT-7**

Satellite and launch vehicle campaign calendar

DATE	SATELLITE ACTIVITIES	LAUNCH VEHICLE ACTIVITIES
January 30, 2017		Campaign start review EPC unpacking - EPC erection
January 31, 2017		EAP1 and EAP 2 transfer
February 1, 2017		EPC/EAP integration
February 6, 2017		Erection of ESC-A with Vehicle Equipment Bay
February 14, 2017	Arrival in French Guiana of SGDC and KOREASAT7 and transportation to the S5	
February 23, 2017	KOREASAT-7 fitcheck	
February 24, 2017	SGDC fitcheck	
February 27 to March 3, 2017	SGDC fueling operations	
March 2 to 4, 2017	KOREASAT-7 fueling operations	
March 2, 2017		Transfer from BIL (Launcher Integration Building) to BAF (Final Assembly Building)
March 6, 2017	SGDC integration on ACUH in the S5B hall;	
March 7, 2017	SGDC transfer to the Final Assembly Building	

itegration, and
paration of
ial movement in
ions
the chronology
vehicle connec- tank
A filling with liq-
1





## **COUNTDOWN AND FLIGHT SEQUENCE**

The countdown comprises all final preparation steps for the launcher, the satellites/spacecraft and the launch site. If it proceeds as planned, the countdown leads to ignition of the main stage engine, then the two boosters, for a liftoff at the targeted time.

The countdown culminates in a synchronized sequence, which is managed by the control station and onboard computers starting at T-7 minutes.

If an interruption in the countdown means that T-0 shifts outside of the launch window, then the launch will be delayed by one, two or more days, depending on the problem involved, and the solution developed.

TIME		EVENT
- 11 h	23 min	Start of final countdown
- 10 h	33 min	Check of electrical systems
- 04 h	23 min	Start of filling of EPC with liquid oxygen and liquid hydrogen
- 03 h	18 min	Chilldown of Vulcain main stage engine
- 03 h	43 min	Start of filling of ESC-A with liquid oxygen and liquid hydrogen
- 01 h	15 min	Check of connections between launcher and the telemetry, tracking and command systems
	- 7 min	"All systems go" report, allowing start of synchronized sequence
	- 4 min	Tanks pressurized for flight
	-1 min	Switch to onboard power mode
		- 05 s Opening command for the cryogenic arms
		- 04 s Onboard systems take over

T-0	Ignition of the cryogenic main stage engine (EPC)
	+ 07 s Ignition of solid boosters (EAP)
	+ 07 s Liftoff
	+ 13 s End of vertical climb, beginning of pitch motion
	+ 17 s Beginning of roll maneuver
+ 2 min	21 s EAP separation
+ 3 min	22 s Fairing jettisoned
+ 7 min	51 s Acquisition by Natal tracking station
+ 8 min	53 s End of EPC thrust phase
+ 8 min	59 s EPC separation
+ 9 min	03 s Ignition of ESC-A stage
+ 13 min	48 s Acquisition by Ascension tracking station
+ 18 min	25 s Data acquisition by Libreville tracking station
+ 23 min	06 s Acquisition by Malindi tracking station
+ 24 min	57 s Injection
+ 28 min	11 s SGDC satellite separation
+ 29 min	52 s SYLDA separation
+ 36 min	46 s KOREASAT-7 satellite separation
+ 53 min	30 s End of the Arianespace mission





# **ARIANE 5 ECA MISSION PROFILE**

The launcher's attitude and trajectory are entirely controlled by the two onboard computers in the Ariane 5 Vehicle Equipment Bay (VEB).


The synchronized sequence starts seven minutes before ignition (T-0). It is primarily designed to perform the final operations on the launcher prior to launch, along with the ultimate checks needed following switchover to flight configuration. As its name indicates, the sequence is fully automatic, and is performed concurrently by the onboard computer and by two redundant computers at the ELA-3 launch complex until T-4 seconds. The computers command the final electrical operations (startup of the flight program, servocontrols, switching from ground power supply to onboard batteries, etc.) and associated checks. They also place the propellant and fluid systems in flight configuration and perform associated checks. In addition, they handle the final ground system configurations, namely:

- > Startup of water injection in the flame trenches and exhaust guide (T-30 sec).
- > Hydrogen aspiration for chilldown of the Vulcain engine in the exhaust guide (T-18 sec).
- > Burnoff of hydrogen used for chilldown (T-5.5 sec).

At T-4 seconds, the onboard computer takes over control of final engine startup and liftoff operations. It:

- > Starts the ignition sequence for the Vulcain main stage engine (T-0).
- > Checks engine operation (from T+4.5 to T+6.9 sec).
- > Commands ignition for the solid boosters at T+7.05 sec for liftoff at T+7.3 seconds.

Any shutdown of the synchronized sequence after T-7 minutes automatically places the launcher back in its T-7 minute configuration.







## ARIANESPACE AND THE GUIANA SPACE CENTER

### ARIANESPACE, THE WORLD'S FIRST LAUNCH SERVICES COMPANY

Arianespace was founded in 1980 as the world's first launch Services & Solutions company. Arianespace is a subsidiary of Airbus Safran Launchers, which holds 74% of its share capital; the balance is held by 17 other shareholders from the European launcher industry.

Since the outset, Arianespace has signed over 530 launch contracts and launched 550-plus satellites. More than half of the commercial satellites now in service around the globe were launched by Arianespace. The company posted sales of approximately 1.4 billion euros in 2016.

The company's activities are worldwide, with the headquarters in Evry, France (near Paris); the Guiana Space Center in French Guiana, where the Ariane, Soyuz and Vega launch pads are located; and offices in Washington, D.C., Tokyo and Singapore. Arianespace offers launch services to satellite operators from around the world, including private companies and government agencies. These services call on three launch vehicles:

- > The Ariane 5 heavy-lift launcher, operated from the Guiana Space Center in French Guiana.
- > The Soyuz medium-lift launcher, currently in operation at the Guiana Space Center and the Baikonur Cosmodrome in Kazakhstan.
- > The Vega light-lift launcher, also operated from the Guiana Space Center.

Building on its complete family of launchers, Arianespace has won over half of the commercial launch contracts up for bid worldwide in the past two years. Arianespace now has a backlog of more than 70 satellites to be launched.

#### THE GUIANA SPACE CENTER: EUROPE'S SPACEPORT

For more than 40 years, the Guiana Space Center (CSG), Europe's Spaceport in French Guiana, has offered a complete array of facilities for rocket launches. It primarily comprises the following:

- > The CNES/CSG technical center, including various resources and facilities that are critical to launch base operations, such as radars, telecom network, weather station, receiving sites for launcher telemetry, etc.
- > Payload processing facilities (ECPU), in particular the S5 facility.
- > Ariane, Soyuz and Vega launch complexes, comprising the launch zones and launcher integration buildings.
- > Various industrial facilities, including those operated by Regulus, Europropulsion, Air Liquide Spatial Guyane and Airbus Safran Launchers - all participating in the production of Ariane 5 components. A total of 40 European manufacturers and local companies are involved in the launcher operations.

Europe's commitment to independent access to space is based on actions by three key players: the European Space Agency (ESA), the French CNES space agency and Arianespace. ESA is responsible for the Ariane, Soyuz and Vega development programs. Once these launch systems are qualified, ESA transfers responsibility to Arianespace as the operator. ESA has helped change the role of the Guiana Space Center, in particular by funding the construction of the launch complexes, payload processing buildings and associated facilities. Initially used for the France's space program, the Guiana Space Center has evolved into Europe's own Spaceport, according to the terms of an agreement between ESA and the French government. To ensure that the Spaceport is available for its programs, ESA takes charge of the lion's share of the CNES/CSG fixed expenses, and also helps finance the fixed costs for the ELA launch complexes.

The French CNES space agency has several main responsibilities at the Guiana Space Center. It designs all infrastructure and, on behalf of the French government, is responsible for safety and security. It provides the resources needed to prepare the satellites and launchers for missions. Whether during tests or actual launches, CNES is also responsible for overall coordination of operations and it collects and processes all data transmitted from the launcher via a network of receiving stations to track Ariane, Soyuz and Vega rockets throughout their trajectories.

### ARIANESPACE IN FRENCH GUIANA

In French Guiana, Arianespace is the contracting authority in charge of operating the family of three launchers: Ariane, Soyuz and Vega.

Arianespace supervises the integration and functional checks of the Ariane launcher - built by Airbus Safran Launchers as production prime contractor - in the Launcher Integration Building (BIL). It then carries out acceptance tests of the launcher at the same time as satellite preparations in the Payload Preparation Complex (EPCU), which is operated by the Guiana Space Center (CNES/CSG). Next, Arianespace oversees final assembly of the launcher and integration of satellites in the Final Assembly Building (BAF), followed by transfer of the Ariane launcher to Launch Zone No. 3 (ZL3), and then the final countdown and liftoff - which are managed from the Launch Control Center No. 3 (CDL3).

Arianespace deploys a top-flight team and technical facilities to ensure the launchers and their satellite payloads are ready for their missions. Building on this unrivalled expertise and outstanding local facilities, Arianespace is now the undisputed benchmark in the global launch services market.