

## A launch for prestigious customers

For its first launch of the year, Arianespace will orbit two communications satellites : H OT BIRD<sup>TM</sup> 10 for the European operator Eutelsat, and NSS-9 for the global operator SES NEW SKIES, part of the SES group. The mission will also launch two micro-satellites for the SPIRALE demonstration program for French defense procurement agency DGA.

The choice of Arianespace by two of today's leading satellite communications operators is clear recognition of the company's top-quality launch services.

Ariane 5 is the only commercial launcher in service today capable of simultaneously launching two payloads, while giving Arianespace's customers unexcelled performance, flexibility and competitiveness.

Arianespace and Eutelsat have developed a very fruitful partnership over the last 25 years, with the European launcher lofting more than half of Eutelsat's fleet. HOT BIRD<sup>IM</sup> 10 will be the 24th Eutelsat satellites launched by Arianespace.

Designed for television broadcasting, Eutelsat's high-power HOT BIRD<sup>M</sup> 10 satellite is equipped with 64 Ku-band transponders. Built by EADS Astrium and with a launch mass of 4892 kg, it is identical to Eutelsat's HOT BIRD<sup>M</sup> 8 and 9 satellites. Its principal mission will be to join Eutelsat's flagship video neighborhood at 13 degrees East in 2010, following the redeployment of HOT BIRD<sup>M</sup> 6.

Prior to joining 13 degrees East, HOT BIRD<sup>™</sup>10 will be used to consolidate other expanding Eutelsat video neighborhoods.

NSS-9, to be operated by SES NEW SKIES, is the 31st satellite for the SES group of companies (Euronext Paris and Luxembourg Bourse: SESG) to use the European launcher. The SES group is one of the world's leading satellite operators.

Built by Orbital Sciences Corporation using a Star-2 platform, NSS-9 will weigh about 2,230 kg at launch. It is fitted with 44 active high-power C-band transponders and has a design life of at least 15 years. From its orbital position at 183 degrees West, it will offer seamless operational continuity to a variety of customers, including TV broadcasters, government users, operators and transport firms in the Pacific islands, as well as the maritime industry.

EADS Astrium was chosen by French defense procurement agency DGA (part of the Ministry of Defense) as prime contractor for the SPIRALE demonstration program. This program comprises the two microsatellites SPIRALE A and B, based on the CNES-designed Myriade platform.

The Spirale demonstration program is designed to collect infrared images of terrestrial backgrounds and analyze them to assess the detectability of ballistic missiles during their powered phase. It will pave the way for a future ballistic missile warning system, designed to monitor the proliferation of ballistic missiles, determine the origin of launches, and provide early warning of launches.

Having already orbited the four Essaim micro-satellites along with the Helios 2A satellite for the DGA, as well as the Syracuse 3A and 3B satellites, Arianespace is continuing its partnership with the French Ministry of Defense.

- 1 The ARIANESPACE mission
- 2 Range operations campaign: ARIANE 5
- 3 Launch countdown and flight events
- 4 Flight Trajectory
- 5 The ARIANE 5 launch vehicle
- 6 The HOT BIRD<sup>™</sup> 10 satellite
- 7 The NSS 9 satellite
- 8 The demonstrator SPIRALE

#### Appendix

- 1. Flight Key personnel
- 2. Launch environment conditions
- 3. Synchronized sequence
- 4. ARIANESPACE, its relations wich ESA and CNES

Follow the launch live on the internet broadband at www.arianespace.com (starting 20 minutes before lift-off)





# 1. Mission profile

The 187th Ariane mission will launch two communications satellites : HOT BIRD<sup>M</sup> 10 for Eutelsat, Europe's leading satellite operator, and NSS-9 for the global operator SES NEW SKIES, part of the SES group. They will be launched along with two micro-satellites, SPIRALE A and B, on behalf of French defense procurement agency DGA.

This will be the 43rd Ariane 5 launch.

The launcher will be carrying a total payload of 8,511 kg, including 7,420 kg for the satellites, which will be released separately into their targeted orbits.

The launch will be from Ariane Launch Complex No. 3 (ELA 3) in Kourou, French Guiana.

#### Injection orbit

Perigee altitude	250 km
Apogee altitude	35 786 km at injection
Inclination	2° degrees

The lift-off is scheduled on the night of february 12, 2009 as soon as possible within the following launch window:

### Launch opportunity

	Universal time (GMT)	Paris time	Kourou time	Washington time	Moscow time
Between	10:09 pm	11:09 pm	07:09 pm	05:09 pm	01:09 am
and	11:04 pm	00:04 am	08:04 pm	06:04 pm	02:04 am
on	february 12, 2009	february 12-13, 2009	february 12, 2009	february 12, 2009	february 13, 2009

## Configuration of Ariane payload

HOT BIRD<sup>™</sup> 10 was built by EADS Astrium for Eutelsat.

Orbital position : 13° East (from 2010)

NSS-9 was built by Orbital Sciences Corporation on behalf of SES New Skies, an SES group company.

Orbital position: 183° West.

The SPIRALE A and B micro-satellites were built by EADS Astrium and Thales Alenia Space using a CNES-designed Myriade platform.





# 2. Range operations campaign: ARIANE 5 - HOT BIRD<sup>™</sup> 10, NSS-9 & SPIRALE

### Satellites and launch vehicle campaign calendar

Ariane activities	Dates	Satellites activities
Campaign start review	November 5, 2008	
EPC Erection	November 5, 2008	
EAP transfer and positionning	November 5-6, 2008	
Integration EPC/EAP	November 7, 2008	
ESC-A and VEB Erection	November 12, 2008	
	January 8, 2009	Arrival in Kourou of HOT BIRD $^{\rm M}$ 10 and beginning of preparation campaign in building S5 C
	January 12-13, 2009	SPIRALE filling operations
	January 16, 2009	Arrival in Kourou of NSS-9 and beginning of preparation campaign in building S5 C $$
Roll-out from BIL to BAF	January 24, 2009	
	January 20-23, 2009	HOTBIRD™ 10 filling operations in S5 A building
	January 28 &30, 2009	NSS-9 operations in S5 B building
	January 28, 2009	HOTBIRD™ 10 integration on adaptor (ACU)

### Satellites and launch vehicle campaign final calendar

J-10	Thursday, January 29	HOT BIRD <sup>™</sup> 10 transfer to Final Assembly Building (BAF) and NSS-9 integration on adaptor
		SPIRALE integration on launcher
J-9	Friday, January 30	HOT BIRD™ 10 integration on Sylda
J-8	Monday, February 2	Fairing integration on Sylda - NSS-9 transfer to Final Assembly Building (BAF)
J-7	Tuesday, February 3	NSS-9 integration on launcher
J-6	Wednesday, February 4	Upper composite integration with H OT BIRD $^{\rm M}$ 10 on launcher
J-5	Thursday, February 5	ESC-A final preparations and payloads control
J-4	Friday, February 6	Launch rehearsal
J-3	Monday, February 9	Arming of launch vehicle
J-2	Tuesday, February 10	Arming of launch vehicle
		Launch readiness review (RAL) and final preparation of launcher
J-1	Wednesday, February 11	Roll-out from BAF to Launch Area (ZL), launch vehicle connections
		and filling of the EPC liquid Helium sphere
J-0	Thursday, February 12	Launch countdown including EPC and ESC-A filling with liquid oxygen and liquid hydrogen



## 3. Launch countdown and flight events

The countdown comprises all final preparation steps for the launcher, the satellites and the launch site. If it proceeds as planned, the countdown leads to the ignition of the main stage engine, then the two boosters, for a liftoff at the targeted time, as early as possible in the satellites launch window.

The countdown culminates in a synchronized sequence (see appendix 3), which is managed by the control station and onboard computers starting at T-7 minutes.

If an interruption in the countdown means that T-O falls outside the launch window, then the launch will be delayed by one, two or more days, depending on the problem involved, and the solution developed.

Time		Events
– 11 h	30 mn	Start of final countdown
– 7 h	30 mn	Check of electrical systems
– 4 h	50 mn	Start of filling of main cryogenic stage with liquid oxygen and hydrogen
– 3 h	20 mn	Chilldown of Vulcain main stage engine
– 1 h	10 mn	Check of connections between launcher and telemetry, tracking and command systems
	– 7 mn 00 s	"All systems go" report, allowing start of synchronized sequence
	– 4 mn 00 s	Tanks pressurized for flight
	– 1 mn 00 s	Switch to onboard power mode
	- 05,5 s	Command issued for opening of cryogenic arms
	- 04 s	Onboard systems take over
	- 03 s	Unlocking of guidance systems to flight mode

НО	Ignition	of the cryogenic main stage engine (EPC)	ALT (km)	V. rel. (m/s)
	+ 7,0 s	Ignition of solid boosters	0	0
	+ 7,3 s	Liftoff	0	0
	+ 12,5 s	End of vertical climb and beginning of pitch rotation (10 seconds d	uration) 0.087	36
	+ 17 s	Beginning of roll manoeuvre	0.335	74
+ 2 mn	23 s	Jettisoning of solid boosters	68	1988
+ 3 mn	11 s	Jettisoning of fairing	105.8	2187
+ 7 mn	24 s	Acquisition by Natal tracking station	183	4830
+ 8 mn	56 s	Shut-down of main cryogenic stage	183.8	6865
+ 9 mn	02 s	Separation of main cryogenic stage	183.9	6891
+ 9 mn	06 s	Ignition of upper cryogenic stage (ESC-A)	183.9	6894
+ 13 mn	28 s	Acquisition by Ascension tracking station	167	7552
+ 18 mn	17 s	Acquisition by Libreville tracking station	197	8330
+ 23 mn	16 s	Acquisition by Malindi tracking station	480	9117
+ 24 mn	38 s	Shut-down of ESC-A / Injection	626.7	9378
+ 26 mn	31 s	Separation of HOT BIRD™ 10 satellite	896.4	9150
+ 28 mn	12 s	Separation of Sylda 5	1183.2	8921
+ 32 mn	08 s	Separation of NSS-9 satellite	1987.1	8337
+ 33 mn	52 s	Separation of SPIRALE A and B	2382.8	8077
+ 50 mn	46 s	End of Arianespace Flight mission	6657.2	5993



# 4. Flight trajectory of HOT BIRD<sup>™</sup> 10, NSS-9 & SPIRALE

The launcher's attitude and trajectory are totally controlled by the two onboard computers, located in the Ariane 5 vehicle equipment bay (VEB).

7.05 seconds after ignition of the main stage cryogenic engine at T-0, the two solid-propellant boosters are ignited, enabling liftoff. The launcher first climbs vertically for 6 seconds, then rotates towards the East. It maintains an attitude that ensures the axis of the launcher remains parallel to its velocity vector, in order to minimize aerodynamic loads throughout the entire atmospheric phase, until the solid boosters are jettisoned.

Once this first part of the flight is completed, the onboard computers optimize the trajectory in real time, minimizing propellant consumption to bring the launcher first to the intermediate orbit targeted at the end of the main stage propulsion phase, and then the final orbit at the end of the flight of the cryogenic upper stage. The main stage falls back off the coast of Africa in the Atlantic Ocean (in the Gulf of Guinea).

On orbital injection, the launcher will have attained a velocity of approximately 9378 meters/second, and will be at an altitude of about 626 kilometers.

The fairing protecting the HOT BIRD<sup>M</sup> 10, NSS-9 & SPIRALE spacecraft is jettisoned shortly after the boosters are jettisoned at about T+191 seconds.



Standard Ariane 5 trajectory for geostationary transfer orbit





# 5. The Ariane 5-ECA (Industrial prime contractor: ASTRIUM SpaceTransportation)

For more information, visit us on **www.arianespace.com** 



# 6. The HOT BIRD<sup>™</sup> 10 satellite



Customer	EUTELSAT
Prime contractor	EADS Astrium
Mission	TV and radio broadcasting to satellite and cable homes
Mass	Total mass at lift-off 4,892 kg
Stabilization	3 axis stabilized
Dimensions	2.7 x 3.4 x 6.3 m
Span in orbit	38 m
Platform	EUROSTAR E3000
Payload	64 Ku-band transponders
On-board power	14.5 kW (end of life)
Life time	More Than 15 years
Orbital position	13° East (from 2010)

### Press Contact:

Frédérique GAUTIER Eutelsat Tel: +33 1 53 98 46 21 - Fax : +33 1 53 98 37 88 e-mail: fgautier@eutelsat.fr



# 7. The NSS-9 satellite



Customer	SES NEW SKIES			
Prime contractor	Orbital Sciences Corporation			
Mission	TV and radio broadcasting, data networks			
Mass	Total mass at lift-off	2,238 kg		
	Dry mass	1,014kg		
Stabilization	3 axis stabilized			
Dimensions	3.05 x 2.30 x 4.10 m			
Span in orbit	12.6 m			
Platform	STAR 2			
Payload	44 C-band transponders			
On-board power	2.3 kW (end of life)			
Life time	More Than15 years			
Orbital position	183° East			
Coverage area	A global beam providing coverage of the entire earth visible.			
	A West hemisphere beam : Australia, Indonesia, the Philippines, Japan, China,			
	Korea and the Pacific Islands.			
	An East hemisphere beam : Th	e United States, Hawaii and Polynesia.		

### Press Contact:

Yves Feltes Media Relations - SES NEW SKIES Tel: +352 710 725 311 e-mail: yves.feltes@ses-newskies.com

For more information, visit us on  $\ensuremath{\textbf{www.arianespace.com}}$ 



# 8. The SPIRALE A & B satellites



Customer	EADS Astrium for French defense procurement Agency (DGA)			
Prime contractor	EADS Astrium / Thales Alenia Space			
Mission	Collecting infrared images for a future early warning program			
Mass	Total mass at lift-off 117,3 kg (each)			
Stabilization	3 axis stabilized			
Dimensions	1.36 x 0.72 x 0.72 m			
Span in orbit	2.17 m			
Platform	Myriade			
On-board power	160 W			
Orbital position	Elliptic (perigee 600 km, apogee 36 000 km)			
Life time	14 months			

### Press Contact:

Matthieu Duvelleroy EADS Astrium Tel: +33 (0)1 77 75 80 32 e-mail: matthieu.duvelleroy@astrium.eads.net Bruno Daffix DGA Tel: +33 (0)1 46 19 81 51 e-mail: bruno.daffix@dga.defense.gouv.fr



## Appendix 1. Arianespace HOT BIRD<sup>™</sup> 10, NSS-9 & SPIRALE launch key personnel

In charge of the launch campaign			
Mission Director	(CM)	Daniel MURE	ARIANESPACE
In charge of the launch service contract			
Ariane Payload Manager	(RCUA)	Caroline ARNOUX	ARIANESPACE
Ariane Deputy Mission Manager	(RCUA/A)	Christophe BARDOU / Jérôme RIVES	ARIANESPACE
In charge of HOT BIRD <sup>™</sup> 10 satellite			
Satellite Mission Director	(DMS)	Raphael MUSSALIAN	Eutelsat
Director of Operations	(DEX)	Manuel CALVO	Eutelsat
Satellite Program Manager	(CPS)	Pierre-Yves BARAT	Astrium
Satellite Preparation Manager	(RPS)	Stéphane REYNAL	Astrium
In charge of NSS-9 satellite			
Satellite Mission Director	(DMS)	Dennis HUYLER	SES
Satellite Program Manager	(CPS)	Joanne WOESTMAN	OSC
Satellite Preparation Manager	(RPS)	Tom JONES	OSC
In charge of the SPIRALE A & B satellites			
Satellite Mission Director	(DMS)	Gilles LAFFAYE	Astrium
Satellite Preparation Manager	(RPS)	Philippe DURAND	Astrium
In charge of the launch vehicle			
Launch Site Operations Manager	(COEL)	André SICARD	ARIANESPACE
Ariane Production Project Manager	(CPAP)	Laurent JOURDAINE	ARIANESPACE
In charge of the Guiana Space Center (CSG)			
Range Operations Manager	(DDO)	Jacques SCHRIVE	CNES/CSG
Range Operations Deputy	(DDO/A)	Thierry VALLEE	CNES/CSG

## Appendix 2. Launch environment conditions

Acceptable wind speed limits at lift-off range from between 7.5 m/s to 9.5 m/s according to the wind direction. The most critical is a northerly wind. For safety reasons, the wind's speed on the ground (Kourou), and at a high altitude (between 10,000 and 20,000 m) is also taken into account.

### Appendix 3. The synchronized sequence

The synchronized sequence starts 7 mn beforre ignition (T-0), it is primarily designed to perform the final operations on the launcher prior to launch, along with the ultimate checks needed following switchover to flight configuration. As its name indicates, it is fully automatic, and is performed concurrently by the onboard computer and by two reduntant computers at the ELA 3 launch complex until T-4 seconds.

The computers command the final electrical operations (startup of the flight program, servocontrols, switching from ground power supply to onboard batteries, etc.) and associated checks. They also place the propellant and fluid systems in flight configuration and perform associated checks. In addition, it handles the final ground system configurations, namely:

- Startup of water injection in the flame trenches and jet guide (T-30 sec).
- Hydrogen aspiration for chilldown of the Vulcain engine in the jet guide (T-18 sec).
  - Burnoff of hydrogen used for chilldown (T-5.5 sec).

At T-4 seconds, the onboard computer takes over control of final engine startup and lift-off operations:

- It starts the ignition sequence for the Vulcain main stage engine (T-0).
  - It checks engine operation (from T+4.5 to T+7.3 sec).
- It commands ignition of the solid boosters for immediate lift-off at T+7.3 seconds.

Any shutdown of the synchronized sequence after T-7 mn automatically places the launcher back in its T-7 min configuration.



## Appendix 4. Arianespace and the Guiana Space Center

Arianespace was founded in 1980 as the world's first launch Service & Solutions company. Today, Arianespace has 23 shareholders from ten European countries (including French space agency CNES with 34%, EADS with 30%, and all European companies participating in the construction of Ariane launchers).

Since the outset, Arianespace has signed more than 300 launch contracts and launched 265 satellites. More than two-thirds of the commercial satellites now in service worldwide were launched by Arianespace.

The company posted sales of 950 million euros in 2008, and stayed in the black for the fifth year in a row.

At January 1, 2009, Arianespace had 309 employees, working at the company's headquarters in Evry (near Paris), the Guiana Space Center in French Guiana, where the Ariane, Soyuz and Vega launch pads are located, and offices in Washington, D.C., Tokyo and Singapore.

Arianespace offers launch Service & Solutions to satellite operators from around the world, including private companies and government agencies. These Service & Solutions call on three launch vehicles:

• The Ariane 5 heavy launcher, operated from the Guiana Space Center in Kourou, French Guiana.

• The Soyuz medium launcher. Currently in operation at the Baikonur Cosmodrome in Kazakhstan under the responsibility of Starsem, a Euro-Russian subsidiary of Arianespace, it will be launched from the Guiana Space Center starting in 2009.

• The Vega light launcher, to be launched from the Guiana Space Center starting in 2010.

Arianespace has also signed a mutual backup agreement with Boeing Launch Services and Mitsubishi Heavy Industries, through an entity called the Launch Services Alliance. This arrangement guarantees that customers' payloads will be launched in case the chosen launcher is unavailable for technical reasons.

With its family of launchers and this backup agreement, Arianespace won over half of the commercial launch contracts up for bid worldwide in the last two years. Arianespace now has a backlog of more than 40 satellites to be launched.

#### The Guiana Space Center: Europe's Spaceport

For over 30 years, the Guiana Space Center (CSG), Europe's Spaceport in French Guiana, has offered a complete array of facilities for rocket launches.

It mainly comprises the following:

• CNES/CSG technical center, including various resources and facilities that are critical to launch bas operation, such as radars, telecom network, weather station, receiving sites for launcher telemetry, etc.

- Payload processing facilities (ECPU), in particular the S5 facility.
- Ariane launch complexes (ELA), comprising the launch zone and launcher integration buildings.
- Various industrial facilities, including those operated by Regulus, Europropulsion, Air Liquide Spacial Guyane and EADS, which contribute to the production of Ariane 5 elements. A total of 40 European manufacturers and local companies are involved in operations.

The Guiana Space Center is preparing to welcome two new launch vehicles, Soyuz and Vega. The Soyuz launch complex (ELS) and the Vega launch complex (SLV) are now under construction.

Europe's commitment to independent access to space is based on actions by three key players: the European Space Agency (ESA), French space agency CNES and Arianespace.

ESA has helped change the role of the Guiana Space Center, in particular by funding the construction of the launch complexes, payload processing buildings and associated facilities. Initially used for the French space program, the Guiana Space Center has gradually become Europe's own spaceport, according to the terms of an agreement between ESA and the french government.

To ensure that the Spaceport is available for its programs, ESA takes charge of the lion's share of CNES/CSG fixed expenses, and also helps finance the fixed costs for the ELA launch complexes.

French space agency CNES plays several roles at the Space Center.

• It designs all infrastructures and, on behalf of the French government, is responsible for safety and security.

• It provides the resources needed to prepare the satellites and launcher for missions.

Whether during tests or actual launches, CNES is also responsible for overall coordination of operations. It collects and processes all data transmitted from the launcher via a network of receiving stations, to track Ariane rockets throughout their trajectory.

In French Guiana, Arianespace is the contracting authority in charge of operating the family of three launchers, Ariane, Soyuz and Vega.

Arianespace supervises the integration and functional checks of the Ariane launcher, built by EADS Astrium as production prime contractor, in the Launcher Integration Building (BIL). It then carries out acceptance tests of the launcher at the same time as satellite preparations in the Payload Preparation Complex (EPCU), operated by the Guiana Space Center (CSG). Arianespace next oversees final assembly of the launcher and integration of satellites in the Final Assembly Building (BAF), followed by transfer of the launcher to Launch Zone No. 3 (ZL3), and then final countdown and liftoff from Launch Complex No. 3 (CDL3).

Arianespace has created a top-flight team and array of technical resources to get launchers and satellites ready for their missions. Building on this unrivalled expertise and outstanding local facilities, Arianespace is now the undisputed benchmark in the global launch services market.